Moulton, Newmarket, Suffolk, CB8 8QS

Tel: (01638) 750222 Fax: (01638) 751186

email: info@lanwades.com website: www.lanwades.com

NEWMARKET STUD FARMERS' ASSOCIATION 2019 BREEDING REGULATIONS

The Horserace Betting Levy Board (HBLB) Codes of Practice will be strictly applied to all Mares and Stallions for breeding purposes with respect to the control of Equine Viral Arteritis (EVA), Equine Herpesvirus (EHV-1), Equine Infectious Anaemia (EIA), Dourine, Contagious Equine Metritis (CEMO) and other Equine Bacterial Venereal Diseases, as well as additional precautions that are considered necessary by the Newmarket Stud Farmers' Association. The HBLB Codes of Practice can be found online at http://codes.hblb.org.uk or on free HBLB App: EquiBioSafe.

Please note: - Mares arriving from outside the United Kingdom and Ireland should not be travelled with non-thoroughbreds or any other equidae unless these meet the same disease screening requirements for CEMO, EVA, EIA and other equine infectious diseases as are laid down in these regulations.

All correctly completed international travel documents should accompany the mare/s.

A. **HIGH RISK MARES** - those who have had previous contact with CEMO or **who originate from countries outside France, Germany, Ireland, Italy and the United Kingdom** (a full definition of high/low risk status can be found at Appendix 2 of the HBLB Codes of Practice http://codes.hblb.org.uk) require:

Before first time of covering:

Two negative clitoral swabs taken after 1st January 2019 and at least seven days apart at the home premises or the boarding stud.

One negative endometrial swab taken after 1st January 2019 at the home premises or the boarding stud during the oestrus prior to service.

Clitoral and endometrial swab test results must certify negative culture or PCR results for Taylorella equigenitalis (CEMO), Klebsiella pneumoniae (capsule types 1, 2, & 5) and Pseudomonas aeruginosa by a British Equine Veterinary Association (BEVA) Approved Laboratory or other National Approved Laboratory in Ireland or France. Swab certificates from laboratories in other countries will not be accepted and tests will need to be repeated at the boarding stud, unless the Laboratory is accredited by BEVA Laboratory Approval Scheme, following quality assurance testing. See note c) at the end of these regulations. Immunofluorescence test (IFT) results will not be accepted.

Subsequent walkings-in:

Repeat negative endometrial swab, to be cultured or PCR tested as above, for each subsequent oestrus period.

B. **LOW RISK MARES** require:

Before first time of covering:

One negative clitoral swab test and one negative endometrial swab test taken after 1st January 2019 with the latter taken during oestrus. Swab test results must certify negative culture or PCR results for Taylorella equigenitalis (CEMO), Klebsiella pneumoniae (capsule types 1, 2, & 5) and Pseudomonas aeruginosa by a British Equine Veterinary Association (BEVA) Approved Laboratory or other National Approved Laboratory in Ireland or France. Swab certificates from laboratories in other countries will not be accepted, unless the Laboratory is accredited by BEVA Laboratory Approval Scheme, following quality assurance testing. See note c) at the end of these regulations. Immunofluorescence test (IFT) results will not be accepted.

The Stallion Stud Manager may, at his or her discretion, on veterinary advice, allow mating to proceed on the basis of satisfactory results from aerobic culture of endometrial swabs if adequate clitoral swabbing has already been carried out. However the microaerophilic culture or PCR endometrial swab results should be sent to the stallion stud as soon as they are available.

Subsequent walkings-in:

Repeat endometrial swab tests during all subsequent oestrus periods must be cultured aerobically or PCR tested for **Klebsiella pneumoniae & Pseudomonas aeruginosa**, and results certified before the mare is covered. Microaerophilic cultures or PCR testing for CEMO are still recommended and full results should follow afterwards if covering has already taken place.

C. ALL MARES

In the case of pregnant mares who have had difficult foalings requiring veterinary attention and antibiotic treatments, an additional clitoral swab should be taken after foaling and more than 7 days after antibiotic treatment has finished, in addition to routine endometrial swabs, in order to rule out acquired Pseudomonas aeruginosa and Klebsiella pneumoniae infections. Providing the pre-foaling clitoral swab was certified negative for Taylorella equigenitalis, the additional post-foaling clitoral swab may be cultured aerobically or PCR tested only.

D. EQUINE VIRAL ARTERITIS (EVA) tests to be taken after 1st January 2019

- 1. All mares that have NOT been outside the United Kingdom and Ireland within the last 12 months will require one negative blood test to be taken after 1st January 2019 and before service. Seropositive mares will require two blood-tests to be taken a minimum of 14 days apart; these should demonstrate a stable or declining titre.
- 2. All mares originating from outside the UK and Ireland will require two negative blood tests, the first to be taken within a 28 day period prior to arrival in the UK, with the second to be taken at the boarding stud, a minimum of 14 days after arrival. Similarly, animals that are seropositive for EVA will require two tests to be taken in the UK. These should be taken a minimum of 14 days apart and demonstrate a stable or declining titre.
- 3. NB. If a mare should leave the boarding stud after service or scanning in foal and thereafter wish to return during further oestrus, it may be necessary to provide a second negative EVA test.

These test results must confirm no significant rise in antibody titres (seroconversion).

E. EQUINE INFECTIOUS ANAEMIA (EIA)

- 1. All mares that have NOT been outside the United Kingdom and Ireland within the last 12 months will require one negative blood test for EIA to be taken after 1st January 2019.
- 2. All mares originating from OUTSIDE the United Kingdom and Ireland will require a negative blood test for EIA taken no more than 14 days prior to arrival in this country. A second blood test must be taken at the boarding stud, prior to covering, a minimum of 14 days after arrival. Further blood tests must be taken as required to ensure that the mare is tested within 21 days prior to, and as close as possible to, EACH COVERING until a final blood test has been taken a minimum 60 days after the mares arrival in this country.
- 3. Any mare arriving from GERMANY or ITALY with a foal at foot will require a blood test for EIA to be taken from the foal a minimum of 14 days after arrival in this country.

F. STRANGLES

Owners and managers are required to declare any possible contact or exposure their mares or stud might have had to strangles, over the last two years. The current Code of Practice guidelines on prevention and control will be observed.

PLEASE NOTE

- a) Additional swabbing and/or other tests may be required in certain circumstances at the stallion stud manager's discretion.
- b) If a mare is changed from one stallion to another during the course of the breeding season a new clitoral swab, endometrial swab and EVA test will be required. These should be taken no sooner than 7 days after the mare was last covered by the original stallion.
- c) BEVA may give approval to Laboratories outside the United Kingdom if the Laboratories have successfully completed BEVA's quality assurance tests. A list of Laboratories will be published on their website: www.beva.org.uk. Mares with swab results from these Laboratories may be accepted for covering by stallion studs provided results are CERTIFIED ON THE CORRECT BEVA MARE CERTIFICATES. Mare owners and boarding studs must establish with the relevant stallion stud that these results are acceptable well in advance of covering.

CHECK LIST FOR DOCUMENTS WHICH MUST ACCOMPANY MARES WALKING-IN FOR COVERING

ALL MARES

□ Passport or legible photocopy for ev	ery covering
□ Freedom from Infection Certificate ((to be completed on the day of covering)

Select Mare and Covering type for correct check list

PLEASE NOTE: Mares who have received antibiotic treatment following a difficult foaling will require an additional clitoral swab as per Section C of the NSFA Breeding Regulations.

LOW RISK MARE from UK or Ireland

FIRST COVERING	REPEAT COVERING ON ANY SUBSEQUENT OESTRUS PERIOD
 □ Clitoral swab □ Endometrial/Cervical swab □ EIA □ EVA 	□ Endometrial/Cervical swab (new)

LOW RISK MARE from outside of UK or Ireland

FIRST COVERING	REPEAT COVERING
	ON ANY SUBSEQUENT OESTRUS PERIOD
□ Clitoral swab	□ Endometrial/Cervical swab (new)
□ Endometrial/Cervical swab	□ EIA x 1 (new)
□ EIA x 2 minimum	
□ EVA x 2	
□ EIA for foal – if arrived from Germany or Italy	
HIGH RISK MARE from UK or Ireland	
FIRST COVERING	REPEAT COVERING ON ANY SUBSEQUENT OESTRUS PERIOD
□ Clitoral swab x 2	□ Endometrial/Cervical swab (new)
□ Endometrial/Cervical swab (HBLB certificate) x 1	,
□ EIA x 1	

HIGH RISK MARE from outside of UK or Ireland

FIRST COVERING	REPEAT COVERING ON ANY SUBSEQUENT OESTRUS PERIOD
□ Clitoral swab x 2	□ Endometrial/Cervical swab (new)
□ Endometrial/Cervical swab (HBLB certificate) x 1	□ EIA (new) x 1
□ EIA x 2 minimum	
□ EVA x 2	
□ EIA for foal – if arrived from Germany or Italy	

CROSS COVERINGS (REPEAT COVERINGS IN SAME OESTRUS PERIOD) FOR HIGH OR LOW RISK MARES

⊐ P	assport	or	legible	pho	tocopy

 \square EVA x 1

[□] Freedom from Infection Certificate